

ANALYTICAL REPORT

Job Number: 420-111698-1
SDG Number: Monticello High School
Job Description: Sullivan County BOCES

For:
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Attention: Jesse Morrill

Meredith Ruthven

Meredith W Ruthven
Customer Service Manager
mruthven@envirotestlaboratories.com
11/14/2016

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

METHOD SUMMARY

Client: Sullivan County BOCES

Job Number: 420-111698-1
SDG Number: Monticello High School

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Sullivan County BOCES

Job Number: 420-111698-1
SDG Number: Monticello High School

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Palentino, Gus J	GJP
EPA 200.8 Rev.5.4	Sirico, Derek	DS

SAMPLE SUMMARY

Client: Sullivan County BOCES

Job Number: 420-111698-1
SDG Number: Monticello High School

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-111698-1	107-S1	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-2	107-S2	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-3	107-S3	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-4	107-S4	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-5	107-S5	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-6	107-S6	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-7	132-BS	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-8	132-BS1	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-9	100-BS	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-10	124-SL	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-11	108-S1	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-12	108-S2	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-13	110-S1	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-14	110-S2	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-15	110-S3	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-16	110-S4	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-17	110-S5	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-18	110-S6	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-19	110-S7	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-20	110-S8	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-21	110-S9	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-22	110-S10	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-23	110-S11	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-24	110-S13	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-25	110-S14	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-26	110-S15	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-27	112-S1	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-28	112-S2	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-29	112-S3	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-30	112-S4	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-31	112-S5	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-32	112-S6	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-33	112-S7	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-34	112-S8	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-35	112-S9	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-36	112-S10	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-37	112-S11	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-38	112-S12	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-39	114-S1	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-40	114-S2	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-41	114-S3	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-42	118-S1	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-43	118-S2	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-44	120-S1	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-45	120-S2	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-46	120-S3	Drinking Water	10/12/2016 0800	10/12/2016 1505

SAMPLE SUMMARY

Client: Sullivan County BOCES

Job Number: 420-111698-1
SDG Number: Monticello High School

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-111698-47	120-S4	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-48	120-S5	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-49	120-S7	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-50	120-S8	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-51	120-S9	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-52	120-S10	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-53	120-S11	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-54	120-S12	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-55	120-S13	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-56	111-S1	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-57	111-S2	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-58	111-S3	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-59	115-S1	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-60	115-S2	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-61	122-S1	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-62	122-S2	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-63	122-S3	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-64	122-S4	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-65	122-S5	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-66	122-S6	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-67	122-S7	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-68	122-S8	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-69	122-S9	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-70	122-S10	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-71	122-S11	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-72	122-S12	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-73	134-BS1	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-74	134-BS2	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-75	133-BS	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-76	133-SL	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-77	KIT-BS	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-78	FAC-S	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-79	317-S	Drinking Water	10/12/2016 0800	10/12/2016 1505
420-111698-80	536-S1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-81	536-S2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-82	536-S3	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-83	536-S4	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-84	535-S1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-85	535-S2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-86	535-S3	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-87	535-S4	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-88	537-SL	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-89	COA-BS	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-90	GLR-SL	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-91	GLR-BS1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-92	GLR-BS2	Drinking Water	10/12/2016 0950	10/12/2016 1505

SAMPLE SUMMARY

Client: Sullivan County BOCES

Job Number: 420-111698-1
SDG Number: Monticello High School

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-111698-93	GLR-S	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-94	BLR-SL	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-95	BLR-BS1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-96	BLR-BS2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-97	700A-SL	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-98	505-BS1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-99	505-BS2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-100	503-BS1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-101	503-BS2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-102	517-BS	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-103	520-SL	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-104	616-S	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-105	614-S1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-106	614-S2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-107	614-S3	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-108	612-S1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-109	612-S2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-110	612-S3	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-111	600B-S1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-112	600B-S2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-113	600W-S	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-114	629-BS1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-115	629-BS2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-116	600-SL	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-117	627-BS1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-118	627-BS2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-119	318-BS	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-120	320-S	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-121	320-BS	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-122	307-BS	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-123	414-SL	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-124	412-BS	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-125	413-BS	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-126	200-S	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-127	238-SL	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-128	236-BS	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-129	242-BS1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-130	242-BS2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-131	200M-BS	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-132	246-BS1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-133	246-BS2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-134	248-SL	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-135	239-BS1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-136	239-BS2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-137	231-S1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-138	231-S2	Drinking Water	10/12/2016 0950	10/12/2016 1505

SAMPLE SUMMARY

Client: Sullivan County BOCES

Job Number: 420-111698-1
SDG Number: Monticello High School

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-111698-139	231-S3	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-140	231-S4	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-141	231-S5	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-142	200W-BS1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-143	200W-BS2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-144	243-BS1	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-145	243-BS2	Drinking Water	10/12/2016 0950	10/12/2016 1505
420-111698-146	203-BS	Drinking Water	10/12/2016 0950	10/12/2016 1505

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 107-S1
Lab Sample ID: 420-111698-1

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1633	
Prep Method: 200			Date Prepared:	11/03/2016 1055	
Pb	19.6 g	ug/L	10.0	10.0	10

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 107-S2
Lab Sample ID: 420-111698-2

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1609	
Prep Method: 200			Date Prepared:	11/03/2016 1055	
Pb	2.62	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 107-S3
Lab Sample ID: 420-111698-3

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1609	
Prep Method: 200			Date Prepared:	11/03/2016 1055	
Pb	5.02	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 107-S4
Lab Sample ID: 420-111698-4

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1610	
Prep Method: 200			Date Prepared:	11/03/2016 1055	
Pb	9.45	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 107-S5
Lab Sample ID: 420-111698-5

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1611	
Prep Method: 200			Date Prepared:	11/03/2016 1055	
Pb	3.21	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 107-S6
Lab Sample ID: 420-111698-6

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1612		
Prep Method: 200			Date Prepared: 11/03/2016 1100		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 132-BS
Lab Sample ID: 420-111698-7

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1616	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 132-BS1
Lab Sample ID: 420-111698-8

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1617	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	1.05	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 100-BS
Lab Sample ID: 420-111698-9

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1618	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	2.02	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 124-SL
Lab Sample ID: 420-111698-10

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1619	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	9.31	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 108-S1
Lab Sample ID: 420-111698-11

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1619		
Prep Method: 200			Date Prepared: 11/03/2016 1100		
Pb	21.8 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 108-S2
Lab Sample ID: 420-111698-12

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1620		
Prep Method: 200			Date Prepared: 11/03/2016 1100		
Pb	140 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S1
Lab Sample ID: 420-111698-13

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1621	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	16.9 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S2
Lab Sample ID: 420-111698-14

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1622	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	10.7	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S3
Lab Sample ID: 420-111698-15

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1623	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	9.76	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S4
Lab Sample ID: 420-111698-16

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1623	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	13.6	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S5
Lab Sample ID: 420-111698-17

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1626	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	8.60	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S6
Lab Sample ID: 420-111698-18

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1626	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	20.0 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S7
Lab Sample ID: 420-111698-19

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1627	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	17.5 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S8
Lab Sample ID: 420-111698-20

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1628	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	8.50	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S9
Lab Sample ID: 420-111698-21

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1629		
Prep Method: 200			Date Prepared: 11/03/2016 1100		
Pb	7.83	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S10
Lab Sample ID: 420-111698-22

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1629	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	19.0 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S11
Lab Sample ID: 420-111698-23

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1630	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	17.7 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S13
Lab Sample ID: 420-111698-24

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1631	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	8.25	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S14
Lab Sample ID: 420-111698-25

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1632	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	5.40	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 110-S15
Lab Sample ID: 420-111698-26

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1802	
Prep Method: 200			Date Prepared:	11/03/2016 1100	
Pb	9.94	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 112-S1
Lab Sample ID: 420-111698-27

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/08/2016 1222		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	48.1 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 112-S2
Lab Sample ID: 420-111698-28

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1811	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	11.4	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 112-S3
Lab Sample ID: 420-111698-29

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1817	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	22.6 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 112-S4
Lab Sample ID: 420-111698-30

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1819	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	23.0 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 112-S5
Lab Sample ID: 420-111698-31

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1821	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	38.5 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 112-S6
Lab Sample ID: 420-111698-32

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1823		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	17.7 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 112-S7
Lab Sample ID: 420-111698-33

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1824	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	80.1 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 112-S8
Lab Sample ID: 420-111698-34

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1826		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	142 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 112-S9
Lab Sample ID: 420-111698-35

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1828		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	23.6 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 112-S10
Lab Sample ID: 420-111698-36

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1830	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	17.1 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 112-S11
Lab Sample ID: 420-111698-37

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1832	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	15.9 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 112-S12
Lab Sample ID: 420-111698-38

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1834	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	15.7 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 114-S1
Lab Sample ID: 420-111698-39

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1840	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	11.4	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 114-S2
Lab Sample ID: 420-111698-40

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1842	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	24.7 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 114-S3
Lab Sample ID: 420-111698-41

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1844	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	18.4 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 118-S1
Lab Sample ID: 420-111698-42

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1846	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	11.7	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 118-S2
Lab Sample ID: 420-111698-43

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1848	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	31.2 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 120-S1
Lab Sample ID: 420-111698-44

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1850		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	93.5 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 120-S2
Lab Sample ID: 420-111698-45

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1851		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	111 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 120-S3
Lab Sample ID: 420-111698-46

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1853		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	101 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 120-S4
Lab Sample ID: 420-111698-47

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/08/2016 1223	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	82.2 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 120-S5
Lab Sample ID: 420-111698-48

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1907	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	29.3 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 120-S7
Lab Sample ID: 420-111698-49

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1909	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	346 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 120-S8
Lab Sample ID: 420-111698-50

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1911	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	22.0 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 120-S9
Lab Sample ID: 420-111698-51

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1913	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	61.1 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 120-S10
Lab Sample ID: 420-111698-52

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1915	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	47.3 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 120-S11
Lab Sample ID: 420-111698-53

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1917	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	103 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 120-S12
Lab Sample ID: 420-111698-54

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1919	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	44.8 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 120-S13
Lab Sample ID: 420-111698-55

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1920		
Prep Method: 200			Date Prepared: 11/03/2016 1300		
Pb	73.4 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 111-S1
Lab Sample ID: 420-111698-56

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1926	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	30.7 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 111-S2
Lab Sample ID: 420-111698-57

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1928	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	5.61	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 111-S3
Lab Sample ID: 420-111698-58

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1930		
Prep Method: 200			Date Prepared: 11/03/2016 1300		
Pb	17.6 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 115-S1
Lab Sample ID: 420-111698-59

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1932		
Prep Method: 200			Date Prepared: 11/03/2016 1300		
Pb	1.86	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 115-S2
Lab Sample ID: 420-111698-60

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1934	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	2.60	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 122-S1
Lab Sample ID: 420-111698-61

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1936		
Prep Method: 200			Date Prepared: 11/03/2016 1300		
Pb	8.46	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 122-S2
Lab Sample ID: 420-111698-62

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1938		
Prep Method: 200			Date Prepared: 11/03/2016 1300		
Pb	9.47	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 122-S3
Lab Sample ID: 420-111698-63

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1940	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	6.70	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 122-S4
Lab Sample ID: 420-111698-64

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1942		
Prep Method: 200			Date Prepared: 11/03/2016 1300		
Pb	14.5	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 122-S5
Lab Sample ID: 420-111698-65

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1944	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	33.8 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 122-S6
Lab Sample ID: 420-111698-66

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1950	
Prep Method: 200			Date Prepared:	11/03/2016 1300	
Pb	2.30	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 122-S7
Lab Sample ID: 420-111698-67

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/08/2016 1225	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	25.7 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 122-S8
Lab Sample ID: 420-111698-68

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1959	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	14.4	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 122-S9
Lab Sample ID: 420-111698-69

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016	2001	
Prep Method: 200			Date Prepared: 11/03/2016	1500	
Pb	9.83	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 122-S10
Lab Sample ID: 420-111698-70

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2003		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	247 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 122-S11
Lab Sample ID: 420-111698-71

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016	2005	
Prep Method: 200			Date Prepared: 11/03/2016	1500	
Pb	69.9 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 122-S12
Lab Sample ID: 420-111698-72

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016	2007	
Prep Method: 200			Date Prepared: 11/03/2016	1500	
Pb	39.3 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 134-BS1
Lab Sample ID: 420-111698-73

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2013		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 134-BS2
Lab Sample ID: 420-111698-74

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2015	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 133-BS
Lab Sample ID: 420-111698-75

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2017	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 133-SL
Lab Sample ID: 420-111698-76

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2019	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	6.27	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: KIT-BS
Lab Sample ID: 420-111698-77

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2021	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	7.12	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: FAC-S
Lab Sample ID: 420-111698-78

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2023	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	8.67	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 317-S
Lab Sample ID: 420-111698-79

Date Sampled: 10/12/2016 0800
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2025	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	2.12	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 536-S1
Lab Sample ID: 420-111698-80

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2027	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 536-S2
Lab Sample ID: 420-111698-81

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2029		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 536-S3
Lab Sample ID: 420-111698-82

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2030		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	2.83	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 536-S4
Lab Sample ID: 420-111698-83

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2036		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 535-S1
Lab Sample ID: 420-111698-84

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2038		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 535-S2
Lab Sample ID: 420-111698-85

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2040	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	1.36	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 535-S3
Lab Sample ID: 420-111698-86

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2042		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 535-S4
Lab Sample ID: 420-111698-87

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2044		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 537-SL
Lab Sample ID: 420-111698-88

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2052		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	1.26	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: COA-BS
Lab Sample ID: 420-111698-89

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2054		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	3.37	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: GLR-SL
Lab Sample ID: 420-111698-90

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2100	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	6.68	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: GLR-BS1
Lab Sample ID: 420-111698-91

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2102		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	2.70	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: GLR-BS2
Lab Sample ID: 420-111698-92

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2104		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	2.48	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: GLR-S
Lab Sample ID: 420-111698-93

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2106		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	9.53	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: BLR-SL
Lab Sample ID: 420-111698-94

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2108	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	3.37	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: BLR-BS1
Lab Sample ID: 420-111698-95

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2110	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	2.08	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: BLR-BS2
Lab Sample ID: 420-111698-96

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2112		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	1.71	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 700A-SL
Lab Sample ID: 420-111698-97

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2114		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	14.4	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 505-BS1
Lab Sample ID: 420-111698-98

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2116		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	2.14	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 505-BS2
Lab Sample ID: 420-111698-99

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2118	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	1.33	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 503-BS1
Lab Sample ID: 420-111698-100

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2123	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	1.27	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 503-BS2
Lab Sample ID: 420-111698-101

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2125	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	1.63	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 517-BS
Lab Sample ID: 420-111698-102

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2127	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	76.6 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 520-SL
Lab Sample ID: 420-111698-103

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/07/2016 1604		
Prep Method: 200			Date Prepared: 11/06/2016 1455		
Pb	159 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 616-S
Lab Sample ID: 420-111698-104

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 2129		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	8.58	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 614-S1
Lab Sample ID: 420-111698-105

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2131	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	27.8 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 614-S2
Lab Sample ID: 420-111698-106

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2133	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	14.7	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 614-S3
Lab Sample ID: 420-111698-107

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 2135	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	5.96	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 612-S1
Lab Sample ID: 420-111698-108

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1850	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	22.6 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 612-S2
Lab Sample ID: 420-111698-109

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1851		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	6.99	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 612-S3
Lab Sample ID: 420-111698-110

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1851	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	16.6 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 600B-S1
Lab Sample ID: 420-111698-111

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1852		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	8.22	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 600B-S2
Lab Sample ID: 420-111698-112

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1853	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	4.43	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 600W-S
Lab Sample ID: 420-111698-113

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1854	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	1.20	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 629-BS1
Lab Sample ID: 420-111698-114

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1854	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	1.56	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 629-BS2
Lab Sample ID: 420-111698-115

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1855	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	2.70	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 600-SL
Lab Sample ID: 420-111698-116

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1856		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	78.9 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 627-BS1
Lab Sample ID: 420-111698-117

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1857	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	2.21	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 627-BS2
Lab Sample ID: 420-111698-118

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1859	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	3.01	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 318-BS
Lab Sample ID: 420-111698-119

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1900	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	2.06	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 320-S
Lab Sample ID: 420-111698-120

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1901		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	1.22	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 320-BS
Lab Sample ID: 420-111698-121

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1901	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	17.7 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 307-BS
Lab Sample ID: 420-111698-122

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1902		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	4.12	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 414-SL
Lab Sample ID: 420-111698-123

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1903	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	5.40	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 412-BS
Lab Sample ID: 420-111698-124

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1904		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	7.67	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 413-BS
Lab Sample ID: 420-111698-125

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1904	
Prep Method: 200			Date Prepared:	11/03/2016 1500	
Pb	5.47	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 200-S
Lab Sample ID: 420-111698-126

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1905		
Prep Method: 200			Date Prepared: 11/03/2016 1500		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 238-SL
Lab Sample ID: 420-111698-127

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1906	
Prep Method: 200			Date Prepared:	11/03/2016 1600	
Pb	7.77	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 236-BS
Lab Sample ID: 420-111698-128

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1911	
Prep Method: 200			Date Prepared:	11/03/2016 1600	
Pb	2.07	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 242-BS1
Lab Sample ID: 420-111698-129

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1911		
Prep Method: 200			Date Prepared: 11/03/2016 1600		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 242-BS2
Lab Sample ID: 420-111698-130

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1912		
Prep Method: 200			Date Prepared: 11/03/2016 1600		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 200M-BS
Lab Sample ID: 420-111698-131

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1913		
Prep Method: 200			Date Prepared: 11/03/2016 1600		
Pb	3.52	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 246-BS1
Lab Sample ID: 420-111698-132

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1914	
Prep Method: 200			Date Prepared:	11/03/2016 1600	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 246-BS2
Lab Sample ID: 420-111698-133

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1915	
Prep Method: 200			Date Prepared:	11/03/2016 1600	
Pb	2.14	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 248-SL
Lab Sample ID: 420-111698-134

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1915	
Prep Method: 200			Date Prepared:	11/03/2016 1600	
Pb	16.0 g	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 239-BS1
Lab Sample ID: 420-111698-135

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1918	
Prep Method: 200			Date Prepared:	11/03/2016 1600	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 239-BS2
Lab Sample ID: 420-111698-136

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1918	
Prep Method: 200			Date Prepared:	11/03/2016 1600	
Pb	5.05	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 231-S1
Lab Sample ID: 420-111698-137

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1919	
Prep Method: 200			Date Prepared:	11/03/2016 1600	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 231-S2
Lab Sample ID: 420-111698-138

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1920		
Prep Method: 200			Date Prepared: 11/03/2016 1600		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 231-S3
Lab Sample ID: 420-111698-139

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1921		
Prep Method: 200			Date Prepared: 11/03/2016 1600		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 231-S4
Lab Sample ID: 420-111698-140

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1921		
Prep Method: 200			Date Prepared: 11/03/2016 1600		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 231-S5
Lab Sample ID: 420-111698-141

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1922		
Prep Method: 200			Date Prepared: 11/03/2016 1600		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 200W-BS1
Lab Sample ID: 420-111698-142

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1923		
Prep Method: 200			Date Prepared: 11/03/2016 1600		
Pb	1.78	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 200W-BS2
Lab Sample ID: 420-111698-143

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1924	
Prep Method: 200			Date Prepared:	11/03/2016 1600	
Pb	7.35	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 243-BS1
Lab Sample ID: 420-111698-144

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/03/2016 1925		
Prep Method: 200			Date Prepared: 11/03/2016 1600		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 243-BS2
Lab Sample ID: 420-111698-145

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1927	
Prep Method: 200			Date Prepared:	11/03/2016 1600	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jesse Morrill
Sullivan County BOCES
6 Weirk Avenue
Liberty, NY 12754

Job Number: 420-111698-1
Sdg Number: Monticello High School

Client Sample ID: 203-BS
Lab Sample ID: 420-111698-146

Date Sampled: 10/12/2016 0950
Date Received: 10/12/2016 1505
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/03/2016 1928	
Prep Method: 200			Date Prepared:	11/03/2016 1600	
Pb	9.51	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Sullivan County BOCES

Job Number:
Sdg Number: Monticello High School

Lab Section	Qualifier	Description
Metals	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Sullivan County BOCES

Job Number:

Sdg Number: Monticello High School

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalein Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

Definitions and Glossary

Client: Sullivan County BOCES

Job Number:

Sdg Number: Monticello High School

<u>Abbreviation</u>	<u>These commonly used abbreviations may or may not be present in this report.</u>
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

Sample #	Date	Time	AREA	250 ml HNO3	Analysis Requested
1	10/12/16	8 AM			LEAD
2					
3					
4					
5					
6					
107-57			out of service		
7			womens room		
8			mens room		
9			P.P.S. bath		
10					
11					
12			closet		
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
110-512			out of service		
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39			island		
40			wall		
41			closet		

Sampled By: *[Signature]*

Received By: A Elmendorf ETL 10/12/16

Relinquished By: *[Signature]* 3:05

1505
21.5°C no ice, IR #3

	Date	Time		250 ml HNO3	Analysis Requested
42	118-S1	10/12/16	0800	is land	
43	118-S2			wall	LEAD
44	120-S1				
45	120-S2				
46	120-S3				
47	120-S4				
48	120-S5				
49	120-S7				
50	120-S8				
51	120-S9				
52	120-S10				
53	120-S11				
54	120-S12				
55	120-S13				
56	111-S1			left	
57	111-S2			mid	
58	111-S3			right	
59	115-S1			island	
60	115-S2			wall	
61	122-S1				
62	122-S2				
63	122-S3				
64	122-S4				
65	122-S5				
66	122-S6				
67	122-S7				
68	122-S8				
69	122-S9				
70	122-S10				
71	122-S11				
72	122-S12				
73	134-B5L			left	
74	134-B5R			right	
75	133-B5			only 2 in service	
76	133-SL			custodial	
77	Kit-B5				
78	FAC-S			Faculty dining	
79	317-S				

Sampled By: 

Received
Relinquished By: Q. Elmendorf ETL
10/12/16 1505

21.5°C, no ice, IR # 3

Relinquished By:  3:05

Sample #	Date	Time	AREA	250 ml HNO3	Analysis Requested
80	10/12/16	9:50	Girls bath - left		LEAD
81					
82			↓		
83			- right		
84			boys bath - left		
85					
86			↓		
87			right		
88			custodial		
89			Coaches office - bsmt level		
90			girls locker		
91			left		
92			right		
93			instructor's room		
94			boys locker		
95			left		
96			right		
97			custodial stop		
98			girls bath - left		
99			" " right		
100			boys bath - left		
101			" " - right		
102					
103					
104			middle only in service		
105			left		
106			mid		
107			right		
108			left		
109			mid		
110			right		
111			boys bath - left		
112			" " - right		
113			women's bath		
114			left		
115					
116					
117			Girls bath - left		
118			Girls " - right		
119					
120					
121					
122					

Sampled By: *[Signature]*

Received By: A Elmendorf ETL 10/12/16

1505, 21.5°C no ice IR #3

Relinquished By: *[Signature]* 3:05

	Date	Time	250 ml HNO3	Analysis Requested
123	4/4-SL	10/12/16 0950		LEAD
124	4/2-BS			
125	4/3-BS			
126	200-S			
127	238-SL			
128	200			
128	236-BS			
129	242-BS1			
130	242-BS2			
131	200M-BS			
132	246-BS1			
133	246-BS2			
134	248-SL			
135	239-BS1			
136	239-BS2			
137	231-S1			
138	231-S2			
139	231-S3			
140	231-S4			
141	231-S5			
142	200W-BS1			
143	200W-BS2			
144	243-BS1			
145	243-BS2			
146	203-BS			

Girls bath
 boy bath - left
 " " - right
 mens Faculty bath
 girls bath - left
 - right
 boys - left
 " - right
 home ec. - left
 back wall
 right
 womens Faculty - left
 " " - right
 girls bath - left
 " " - right
 HC bath near rm 203

Sampled By: *[Signature]*

Received By: *[Signature]* ETL
 10/12/16 1505
 21.5°C no ice, IR #3

Relinquished By: *[Signature]* 3:05

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Sullivan County BOCES

Job Number: 420-111698-1
SDG Number: Monticello High School

Login Number: 111698

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	21.5 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	